

	Application No.	Applicant(s)
Notice of Allowability		•
	10/709,995 Examiner	CHEN ET AL. Art Unit
	Laminer	Artonic
	MATTHEW V. NGUYEN	2838
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed on 9/28/06</u> .		
2. The allowed claim(s) is/are 6-10 (renumbered as 1-5).		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E Makin of Information	latant Anniigatic -
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	<ul><li>5. ☐ Notice of Informal P</li><li>6. ☐ Interview Summary</li></ul>	
2.   Notice of Dranperson's Patent Drawing Review (P10-946)	Paper No./Mail Dat	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛛 Examiner's Amendr	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.  Other	

Application/Control Number: 10/709,995

Art Unit: 2838

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Page 2

The application has been amended as follows:

In claim 6, line 4, "brakers" has been changed to - breakers --.

2. The following is an examiner's statement of reasons for allowance: none of prior art of record taken alone or in combination shows a method for converting to same phase power supply from three phase power system comprising steps of receiving a fault or overload trip signal from main power lines, operating an interlock of three phase circuit breakers, categorizing power consumption subscribers, selecting one of the three phase power line, feeding power to load systems of three-phase four-wire with neutral line grounded along with more detailed limitations as recited in the independent claim 6 of the instant application.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew V. Nguyen whose telephone number is (571) 272-2081.

Application/Control Number: 10/709,995

Art Unit: 2838

Page 3

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (571) 272-2800.

MATTHEW V. NGUYEN PRIMARY EXAMINER